



## MASSACHUSETTS WATER RESOURCES AUTHORITY

Chelsea Facility  
2 Griffin Way  
Chelsea, Massachusetts 02150

Telephone: (617) 242-6000  
Facsimile: (617) 305-5990

Frederick A. Laskey  
Executive Director

October 22, 2010

Royal Hospitality Services, Inc.  
520 Columbia Street  
Somerville, MA 02143  
Permit # 30007496

Attention: Mr. Angelini  
Chief Engineer

Re: Royal Hospitality Services, Inc. Compliance Status for the Period of July 1, 2009 to June 30, 2010

Dear Mr. Angelini:

As you know, the Massachusetts Water Resources Authority (MWRA) is required by EPA regulations to annually evaluate and report on Royal Hospitality Services, Inc.'s compliance status during the MWRA's fiscal year. Under this system, each Significant Industrial User's compliance status is evaluated four times during the year. Compliance status is based on a review of the sampling and analysis results of Royal Hospitality Services, Inc.'s wastewater and the reports your facility is required to submit to us. Based on our review, Royal Hospitality Services, Inc. was in compliance for the period of July 1, 2009 thru June 30, 2010.

I wish to acknowledge and commend Royal Hospitality Services, Inc. for successfully maintaining compliance with MWRA's regulations and its MWRA Sewer Use Discharge Permit. The MWRA recognizes and appreciates Royal Hospitality Services, Inc.'s commitment to achieving and maintaining compliance both now and in the future.

Sincerely,

A handwritten signature in black ink that reads "Carolyn M. Fiore". The signature is written in a cursive, flowing style.

Carolyn M. Fiore, Director  
Toxic Reduction and Control

October 14, 2010

Anthony Angelini  
Chief Engineer  
Royal Hospitality Services, Inc.  
520 Columbia Street  
Somerville, MA 02143

Re: MWRA Sewer User - Facility #: 30007496

Royal Hospitality Services, Inc.

#### Compliance Status

For your compliance status for our EPA reporting year of 07/01/2009 to 06/30/2010, we reviewed the sampling and analysis results of your wastewater discharges and the reports and other documents you were required to submit us. Based on the review, your facility was:

In Compliance with your permit requirements throughout the year. We congratulate you on your adherence to those environmental requirements.